



4160-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2012-N-0980]

Agency Information Collection Activities; Submission for Office of Management and Budget Review; Comment Request; Guidance on Reagents for Detection of Specific Novel Influenza A Viruses

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA) is announcing that a proposed collection of information has been submitted to the Office of Management and Budget (OMB) for review and clearance under the Paperwork Reduction Act of 1995.

DATES: Fax written comments on the collection of information by [INSERT DATE 30 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

ADDRESSES: To ensure that comments on the information collection are received, OMB recommends that written comments be faxed to the Office of Information and Regulatory Affairs, OMB, Attn: FDA Desk Officer, FAX: 202-395-7285, or emailed to oir_submission@omb.eop.gov. All comments should be identified with the OMB control number 0910-0584. Also include the FDA docket number found in brackets in the heading of this document.

FOR FURTHER INFORMATION CONTACT:

Daniel Gittleson,

Office of Information Management,

Food and Drug Administration,

1350 Piccard Dr.,

PI50-400B,

Rockville, MD 20850,

301-796-5156,

Daniel.Gittleson@fda.hhs.gov.

SUPPLEMENTARY INFORMATION: In compliance with 44 U.S.C. 3507, FDA has submitted the following proposed collection of information to OMB for review and clearance.

Guidance on Reagents for Detection of Specific Novel Influenza A Viruses--(OMB Control
Number 0910-0584--Extension

In accordance with section 513 of the Federal Food, Drug, and Cosmetic Act (the FD&C Act) (21 U.S.C. 360c), FDA evaluated an application for an in vitro diagnostic device for detection of influenza subtype H5 (Asian lineage), commonly known as avian flu. FDA concluded that this device is properly classified into class II in accordance with section 513(a)(1)(B) of the FD&C Act, because it is a device for which the general controls by themselves are insufficient to provide reasonable assurance of the safety and effectiveness of the device, but there is sufficient information to establish special controls to provide such assurance. The statute permits FDA to establish as special controls many different things, including postmarket surveillance, development and dissemination of guidance recommendations, and “other appropriate actions as the Secretary deems necessary” (section 513(a)(1)(B) of the FD&C Act). This information collection is a measure that FDA determined to be necessary to provide reasonable assurance of safety and effectiveness of reagents for detection of specific novel influenza A viruses.

FDA issued an order classifying the H5 (Asian lineage) diagnostic device into class II on February 3, 2006, establishing the special controls necessary to provide reasonable assurance of the safety and effectiveness of that device and similar future devices. The new classification was codified in 21 CFR 866.3332, a regulation that describes the new classification for reagents for detection of specific novel influenza A viruses and sets forth the special controls that help to provide a reasonable assurance of the safety and effectiveness of devices classified under that regulation. The regulation refers to the special controls guidance document entitled “Class II Special Controls Guidance Document: Reagents for Detection of Specific Novel Influenza A Viruses,” which provides recommendations for measures to help provide a reasonable assurance of safety and effectiveness for these reagents. The guidance document recommends that sponsors obtain and analyze postmarket data to ensure the continued reliability of their device in detecting the specific novel influenza A virus that it is intended to detect, particularly given the propensity for influenza viruses to mutate and the potential for changes in disease prevalence over time. As updated sequences for novel influenza A viruses become available from the World Health Organization, National Institutes of Health, and other public health entities, sponsors of reagents for detection of specific novel influenza A viruses will collect this information, compare them with the primer/probe sequences in their devices, and incorporate the result of these analyses into their quality management system, as required by 21 CFR 820.100(a)(1). These analyses will be evaluated against the device design validation and risk analysis required by 21 CFR 820.30(g), to determine if any design changes may be necessary.

FDA estimates that 10 respondents will be affected annually. Each respondent will collect this information twice per year; each response is estimated to take 15 hours. This results in a total data collection burden of 300 hours. The guidance also refers to previously approved

information collections found in FDA regulations. The collections of information in 21 CFR part 801 have been approved under OMB control number 0910-0485; the collections of information in 21 CFR part 807 subpart E have been approved under OMB control number 0910-0120; and the collections of information in 21 CFR part 820 have been approved under OMB control number 0910-0073.

In the Federal Register of September 25, 2012 (77 FR 58997), FDA published a 60-day notice requesting public comment on the proposed collection of information. No comments were received.

FDA estimates the burden of this collection of information as follows:

Table 1.--Estimated Annual Recordkeeping Burden¹

FD&C Act Section	No. of Recordkeepers	No. of Records per Recordkeeper	Total Annual Records	Average Burden per Recordkeeping	Total Hours
513(g)	10	2	20	15	300

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

Dated: March 7, 2013.

Leslie Kux,

Assistant Commissioner for Policy.